Global solution

Sigrid Böhm

Global solution

- What does that mean?

  A global solution combines VLBI sessions and enables an estimation of common parameters.

- Why use it?

  With this approach the whole history of VLBI data can be used to estimate static parameters such as station coordinates and velocities, source coordinates etc.

Theoretical background

- Sort parameters in the N-matrix and b-vector
- Reduction of parameters
  - always reduced: clock parameters, zwd, and troposphere gradients
  - can be reduced: EOP, stations and sources not suitable for global solution

$$\begin{bmatrix} N_{11} & N_{12} \\ N_{21} & N_{22} \end{bmatrix} \cdot \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} b_1 \\ b_2 \end{bmatrix}$$

$$N_{reduc} = N_{11} - N_{12} \cdot N_{22}^{-1} \cdot N_{21}$$

$$b_{reduc} = b_1 - N_{12} \cdot N_{22}^{-1} \cdot b_2$$

globally estimated p.

reduced p.

→ the reduced normal equation matrices are saved during a normal run in VieVS in the LEVEL2 directory.

- Stacking of the reduced normal equation systems

$$N = N_{reduc\_1} + N_{reduc\_2} + ... + N_{reduc\_nse}$$

$$b = b_{reduc\_1} + b_{reduc\_2} + ... + b_{reduc\_nse}$$

Final solution

- applying of the constraints

$$N_{REDUC}^{C} = \begin{bmatrix} N_{REDUC} & B^{\mathrm{T}} \\ B & 0 \end{bmatrix} \qquad b_{REDUC}^{C} = b_{REDUC} + w$$

- final solution for global parameters

$$dx_1 = \left(N_{REDUC}^{C} \right)^{-1} \cdot b_{REDUC}$$

- estimates are stored as a structure array in Matlab format and as a txt file
  - VLBI/OUT/GLOB/_ESTIMATES/*DIR_NAME*/
    - globsol_*DIR_NAME*.mat
    - glob_results_*DIR_NAME*.txt

Vie_GLOB

- parameters which can be estimated from combination of more sessions

    - station coordinates and velocities: TRF
    - source coordinates: CRF
    - Earth orientation parameters
    - antenna axis offset
    - station seasonal harmonic signal
    - tidal ERP variations
    - pole tide Love/Shida number
    - APL regression coefficients

- session-wise as reduced parameters

    - zenith wet delay
    - tropospheric gradients
    - Earth orientation parameters
    - station and source coordinates (not suitable for global estimation)